

Applications Area Working Group
Internet-Draft
Intended Status: Informational
Expires: August 27, 2015

S. Leonard
Penango, Inc.
February 23, 2015

**The text/markdown Media Type
draft-ietf-appsawg-text-markdown-06**

Abstract

This document registers the text/markdown media type for use with Markdown, a family of plain text formatting syntaxes that optionally can be converted to formal markup languages such as HTML.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

Copyright Notice

Copyright (c) 2015 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Introduction	2
1.1. This Is Markdown! Or: Markup and Its Discontents	2
1.2. Markdown Is About Writing and Editing	3
1.3. Definitions	5
2. Markdown Media Type Registration Application	5
3. Fragment Identifiers	7
3.1. Parameters	8
4. Content Disposition and preview-type	8
5. Example	9
6. IANA Considerations	9
6.1. Markdown Variants	10
6.2. Reserved Identifiers	11
6.3. Standard of Review	11
6.4. Provisional Registration	11
7. Security Considerations	11
8. References	11
8.1. Normative References	11
8.2. Informative References	13
Appendix A. Change Log	13
Author's Address	13

[1. Introduction](#)

[1.1. This Is Markdown! Or: Markup and Its Discontents](#)

In computer systems, textual data is stored and processed using a continuum of techniques. On the one end is plain text: a linear sequence of characters in some character set (code), possibly interrupted by line breaks, page breaks, or other control characters. The repertoire of these control characters (a form of in-band signaling) is necessarily limited, and not particularly extensible. Because they are non-printing, these characters are also hard to enter with standard keyboards.

Markup offers an alternative means to encode this signaling information by overloading certain characters with additional meanings. Therefore, markup languages allow for annotating a document in such a way that annotations are syntactically distinguishable from the printing information. Markup languages are (reasonably) well-specified and tend to follow (mostly) standardized syntax rules. Examples of formal markup languages include SGML, HTML, XML, and LaTeX. Standardized rules lead to interoperability between markup processors, but impose skill requirements on new users that lead to markup languages becoming less accessible to beginners. These rules also reify "validity": content that does not conform to the rules is

treated differently (i.e., is rejected) than content that conforms.

In contrast to formal markup languages, lightweight markup languages use simple syntaxes; they are designed to be easy for humans to enter and understand with basic text editors. Markdown, the subject of this document, began as an /informal/ plain text formatting syntax [\[MDSYNTAX\]](#) and Perl script HTML/XHTML processor [\[MARKDOWN\]](#) targeted at non-technical users using unspecialized tools, such as plain text e-mail clients. [\[MDSYNTAX\]](#) explicitly rejects the notion of validity: there is no such thing as "invalid" Markdown. If the Markdown content does not result in the "right" output (defined as output that the author wants, not output that adheres to some dictated system of rules), the expectation is that the author should continue experimenting by changing the content or the processor to achieve the desired output.

Since its development in 2004 [\[MARKDOWN\]](#), a number of web- and Internet-facing applications have incorporated Markdown into their text entry systems, frequently with custom extensions. Markdown has thus evolved into a kind of Internet meme [\[INETMEME\]](#) as different communities encounter it and adapt the syntax for their specific use cases. Markdown now represents a family of related plain text formatting syntaxes and implementations that, while broadly compatible with humans [\[HUMANE\]](#), are intended to produce different kinds of outputs that push the boundaries of mutual intelligibility between software systems.

To support identifying and conveying Markdown, this document defines a media type and parameters that indicate the author's intent on how to interpret the Markdown. This registration draws particular inspiration from text/troff [\[RFC4263\]](#), which is a plain text formatting syntax for typesetting based on tools from the 1960s ("RUNOFF") and 1970s ("nroff", et. al.). In that sense, Markdown is a kind of troff for modern computing. A companion document [\[MDMTUSES\]](#) provides additional Markdown background and philosophy.

[1.2.](#) Markdown Is About Writing and Editing

"HTML is a **publishing** format; Markdown is a **writing** format. Thus, Markdown's formatting syntax only addresses issues that can be conveyed in plain text." [\[MDSYNTAX\]](#)

The paradigmatic use case for text/markdown is the Markdown editor: an application that presents Markdown content (which looks like an e-mail or other piece of plain text writing) alongside a published format, so that an author can see results instantaneously and can tweak his or her input in real-time. A significant number of Markdown editors have adopted "split-screen view" (or "live preview")

technology that looks like Figure 1:

+-----+ File Edit (Cloud Stuff) (Fork Me on GitHub) Help +-----+	
[such-and-such identifier]	[useful statistics]
+-----++-----+	
(plain text, with	(text/html, likely
syntax highlighting)	rendered to screen)
# Introduction	<h1>Introduction</h1>
## Markdown Is About Writing and	/ <h2>Markdown Is About Writing and
/ Editing	Editing</h2>
> HTML is a *publishing* format;	<blockquote><p>HTML is a
> Markdown is a *writing* format.	publishing format;
> Thus, Markdown's formatting	Markdown is a writing
> syntax only addresses issues	format. Thus, Markdown's
> that can be conveyed in plain	<> formatting syntax only addresses
> text. [MDSYNTAX][]	issues that can be conveyed in
	plain text. MDSYNTAX
The paradigmatic use case for	</p></blockquote>
`text/markdown` is the Markdown	
editor: an application that	
presents Markdown content	<p>The paradigmatic use case for
...	<code>text/markdown</code> is the
[MDSYNTAX]: http://daringfireball.net/projects/markdown/syntax#html	Markdown editor: an application
"Markdown: Syntax: HTML"	that presents Markdown content
	...</p>
+-----++-----+	

LEGEND: "/" embedded in a vertical line represents a line-continuation marker, since a line break is not supposed to occur in that content.

Figure 1: Markdown Split-Screen/Live Preview Editor

Users on diverse platforms SHOULD be able to collaborate with their tools of choice, whether those tools are desktop-based (MarkdownPad, MultiMarkdown Composer), browser-based (Dillinger, Markable), integrated widgets (Discourse, GitHub), general-purpose editors (emacs, vi), or plain old "Notepad". Additionally, users SHOULD be able to identify particular areas of Markdown content when the Markdown becomes appreciably large (e.g., book chapters and Internet-Drafts--not just blog posts). Users SHOULD be able to use text/markdown to convey their works in progress, not just their finished products (for which full-

blown markups ranging from text/html to application/pdf are appropriate). This registration facilitates interoperability between these Markdown editors by conveying the syntax of the particular Markdown variant and the desired output format.

1.3. Definitions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [\[RFC2119\]](#).

Since Markdown signifies a family of related formats with varying degrees of formal documentation and implementation, this specification uses the term "variant" to identify such formats.

2. Markdown Media Type Registration Application

This section provides the media type registration application for the text/markdown media type (see [\[RFC6838\]](#), [Section 5.6](#)).

Type name: text

Subtype name: markdown

Required parameters:

charset: Per [Section 4.2.1 of \[RFC6838\]](#), charset is REQUIRED. There is no default value. [\[MDSYNTAX\]](#) clearly describes Markdown as a writing format; its syntax rules operate on characters (specifically, on punctuation) rather than code points. Neither [\[MDSYNTAX\]](#) nor many popular implementations at the time of this registration actually require or assume any particular character set. Many Markdown processors will get along just fine by operating on character codes that lie in printable US-ASCII, blissfully oblivious to coded values outside of that range.

Optional parameters:

variant: An optional identifier that serves as a "hint" to the recipient of the specific Markdown variant that the author intended. When omitted, there is no hint; the interpretation is entirely up to the receiver and context. This identifier is plain US-ASCII and case-insensitive. To promote interoperability, identifiers MAY be registered in the registry defined in [Section 6](#). If a receiver does not recognize the variant identifier, the receiver MAY present the identifier to a user to inform him or her of it.

Other parameters MAY be included with the media type. The variant SHOULD define the semantics of such parameters. Additionally, the variant MAY be registered under another media type; this text/markdown registration does not preclude other registrations.

Encoding considerations: Text.

Security considerations:

Markdown interpreted as plain text is relatively harmless. A text editor need only display the text. The editor SHOULD take care to handle control characters appropriately, and to limit the effect of the Markdown to the text editing area itself; malicious Unicode-based Markdown could, for example, surreptitiously change the directionality of the text. An editor for normal text would already take these control characters into consideration, however.

Markdown interpreted as a precursor to other formats, such as HTML, carries all of the security considerations as the target formats. For example, HTML can contain instructions to execute scripts, redirect the user to other webpages, download remote content, and upload personally identifiable information. Markdown also can contain islands of formal markup, such as HTML. These islands of formal markup may be passed as-is, transformed, or ignored (perhaps because the islands are conditional or incompatible) when the Markdown is processed. Since Markdown may have different interpretations depending on the tool and the environment, a better approach is to analyze (and sanitize or block) the output markup, rather than attempting to analyze the Markdown.

Interoperability considerations:

Markdown variations (some might say "innovations") are designed to be broadly compatible with humans ("humane"), but not necessarily with each other. Therefore, syntax in one Markdown derivative may be ignored or treated differently in another derivative. The overall effect is a general degradation of the output, proportional to the quantity of variant-specific Markdown used in the text. When it is desirable to reflect the author's intent in the output, stick with the variant identified in the variant parameter.

Published specification: This specification; [\[MDSYNTAX\]](#).

Applications that use this media type:

Markdown conversion tools, Markdown WYSIWYG editors, and plain text editors and viewers; markup processor targets indirectly use Markdown (e.g., web browsers for Markdown converted to HTML).

Fragment identifier considerations:

See [Section 4](#).

Additional information:

Magic number(s): None

File extension(s): .md, .markdown

Macintosh file type code(s):

TEXT. A uniform type identifier (UTI) of "net.daringfireball.markdown", which conforms to "public.plain-text", is RECOMMENDED [[MDUTI](#)]. See [[MDMTUSES](#)] for other considerations.

Person & email address to contact for further information:

Sean Leonard <dev+ietf@seantek.com>

Restrictions on usage: None.

Author/Change controller: Sean Leonard <dev+ietf@seantek.com>

Intended usage: COMMON

Provisional registration? No

Implementations SHOULD record the value of the variant parameter (and other parameters if defined by the variant) along with the Markdown content when the content leaves the domain of Internet media type-capable formats. Strategies for doing so are discussed in [[MDMTUSES](#)].

The Content-Disposition header (particularlry the preview-type parameter) can be used with Markdown content. See [Section 4](#).

3. Fragment Identifiers

[MARKDOWN] does not define any fragment identifiers, but some variants do, and many types of Markdown processor output (e.g., HTML or PDF) will have well-defined fragment identifiers. Which fragment identifiers are available for a given document are variant-defined.

When encoded in a URI, characters that are outside of the fragment production of [[RFC3986](#)] are percent-encoded. The default encoding (character set) of percent-encoded octets in URIs is the same as the Markdown content, which is identified by the charset parameter or by other contextual means. Fragment identifiers SHOULD be considered case-sensitive, which maintains consistency with HTML. Variants MAY

override the guidance in this paragraph.

At least the first equals sign "=" SHOULD be percent-encoded to prevent ambiguity as described in the following section.

3.1. Parameters

Similar to application/pdf [RFC3778] and text/plain [RFC5147], this registration permits a parameter syntax for fragment identifiers. The syntax is a parameter name, the equals sign "=" (which MUST NOT be percent-encoded), and a parameter value. To the extent that multiple parameters can appear in a fragment production, the parameters SHALL be separated by the ampersand "&" (which MUST NOT be percent-encoded).

The only parameter defined in this registration is "line", which has the same meaning as [RFC5147] (i.e., counting is zero-based). For example: "#line=10" identifies the eleventh line of Markdown input. Implementers should take heed that different environments and character sets may have a wide range of code sequences to divide lines.

Markdown variants are free to define additional parameters.

4. Content Disposition and preview-type

The Content-Disposition header [RFC2183] conveys presentational information about a MIME entity, using a type and set of parameters. The parameter "preview-type" is defined here for Markdown content.

When present, "preview-type" indicates the Internet media type (and parameters) of the preview output desired from the processor by the author. With reference to the "paradigmatic use case" (i.e., collaborative Markdown editing) in [Section 1.3](#), the output-type parameter primarily affects the "right-hand" side of a Markdown editor. There is no default value: when absent, a Markdown user agent can render or display whatever it wants.

The value of this parameter is an Internet media type with optional parameters. The syntax (including case sensitivity considerations) is the same as specified in [RFC2045] for the Content-Type header (with updates over time, e.g., [RFC2231] and [RFC6532]).

Implementations SHOULD anticipate and support HTML (text/html) and XHTML (application/xhtml+xml) output, to the extent that a syntax targets those markup languages. These types ought to be suitable for the majority of current purposes. However, Markdown is increasingly becoming integral to workflows where HTML is not the target output;

examples range from TeX, to PDF, to OPML, and even to entire e-books (e.g., [[PANDOC](#)]).

The reflexive media type "text/markdown" in this parameter value means that the author does not want to invoke Markdown processing at all: the receiver SHOULD present the Markdown source as-is.

The preview-type parameter can be used for other types of content, but the precise semantics are not defined here.

5. Example

The following is an example of Markdown as an e-mail attachment:

```
MIME-Version: 1.0
Content-Type: text/markdown; charset=UTF-8; variant=Original
Content-Disposition: attachment; filename=readme.md;
  preview-type="application/xhtml+xml"
```

```
Sample HTML 4 Markdown
=====
```

```
This is some sample Markdown. [Hooray!][foo]
(Remember that link identifiers are not case-sensitive.)
```

```
Bulleted Lists
-----
```

```
Here are some bulleted lists...
```

```
* One Potato
* Two Potato
* Three Potato
```

```
- One Tomato
- Two Tomato
- Three Tomato
```

```
More Information
-----
```

```
[.markdown, .md](http://daringfireball.net/projects/markdown/)
has more information.
```

```
[f0o]: http://example.com/loc 'Will Not Work with Markdown.pl-1.0.1'
```

6. IANA Considerations

IANA is asked to register the media type text/markdown in the Standards tree using the application provided in [Section 2](#) of this document.

IANA is asked to register "preview-type" in the Content Disposition Parameters subregistry of the Content Disposition Values and Parameters registry.

[6.1. Markdown Variants](#)

IANA is also asked to establish a registry called "Markdown Variants". While the registry is being created in the context of the text/markdown media type, the registry is intended for broad community use, so protocols and systems that do not rely on Internet media types can still tag Markdown content with a common variant identifier. Each entry in this registry shall consist of basic information about the variant:

- Identifier
- Name
- Description
- Additional Parameters (optional)
- Fragment Identifiers (optional)
- References
- Contact Information
- Expiration Date (if provisional)

While the variant parameter is "plain US-ASCII" (see registration template), the Identifier field (and by implication, all registered identifiers) SHALL conform to the ABNF [\[RFC5234\]](#):

ALPHA [*VCHAR (ALPHA / DIGIT)]

For style and compatibility reasons, the Identifier field SHOULD conform to the ABNF:

ALPHA 1*(["-" / "." / "_" / "~"] 1*(ALPHA / DIGIT))

I.e., the identifier MUST start with a letter and MAY contain punctuation in the middle, but not at the end: the last character MUST be alphanumeric. The second production uses the same characters as the "unreserved" rule of [\[RFC3986\]](#), and is designed to be compatible with characters in other identification systems, e.g., filenames. Since the identifier MAY be displayed to a user-- particularly in cases where the receiver does not recognize the identifier--the identifier SHOULD be rationally related to the vernacular name of the variant.

The Name, Description, Additional Parameters, Fragment Identifiers, References, and Contact Information fields SHALL be in a Unicode character set (e.g., UTF-8).

6.2. Reserved Identifiers

The registry SHALL have the following identifiers RESERVED. No one is allowed to register them (or any case variations of them).

- Standard
- Common
- Markdown

6.3. Standard of Review

Registrations are made on a First-Come, First-Served [[RFC5226](#)] basis by anyone with a need to interoperate. While documentation is required, any level of documentation is sufficient; thus, neither Specification Required nor Expert Review are warranted. The checks prescribed by this section can be performed automatically.

All references (including contact information) MUST be verified as functional at the time of the registration.

If a registration is being updated, the contact information MUST either match the prior registration and be verified, or the prior registrant MUST confirm that the updating registrant has authority to update the registration. As a special "escape valve", registrations can be updated with IETF Review [[RFC5226](#)]. All fields may be updated except the variant identifier, which is permanent: not even case may be changed.

6.4. Provisional Registration

Any registrant may make a provisional registration to reserve a variant identifier. Only the variant identifier and contact information fields are required; the rest are optional. Provisional registrations expire after three months, after which time the variant identifier may be reused. To make a registration permanent, a registrant simply needs to complete a permanent registration with the same identifier as the provisional registration.

7. Security Considerations

See the Security considerations entry in [Section 2](#).

8. References

8.1. Normative References

- [MARKDOWN] Gruber, J., "Daring Fireball: Markdown", December 2004, <<http://daringfireball.net/projects/markdown/>>.
- [MDSYNTAX] Gruber, J., "Daring Fireball: Markdown Syntax Documentation", December 2004, <<http://daringfireball.net/projects/markdown/syntax>>.
- [MDUTI] Gruber, J., "Daring Fireball: Uniform Type Identifier for Markdown", August 2011, <<http://daringfireball.net/linked/2011/08/05/markdown-uti>>.
- [RFC2045] Freed, N. and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", [RFC 2045](#), November 1996.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC2231] Freed, N. and K. Moore, "MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations", [RFC 2231](#), November 1997.
- [RFC3778] Taft, E., Pravetz, J., Zilles, S., and L. Masinter, "The application/pdf Media Type", [RFC 3778](#), May 2004.
- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, [RFC 3986](#), January 2005.
- [RFC5147] Wilde, E. and M. Duerst, "URI Fragment Identifiers for the text/plain Media Type", [RFC 5147](#), April 2008.
- [RFC5226] Narten, T., and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [RFC 5226](#), May 2008.
- [RFC5234] Crocker, D., Ed., and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, [RFC 5234](#), January 2008.
- [RFC5322] Resnick, P., Ed., "Internet Message Format", [RFC 5322](#), October 2008.
- [RFC6532] Yang, A., Steele, S., and N. Freed, "Internationalized Email Headers", [RFC 6532](#), February 2012.
- [RFC6838] Freed, N., Klensin, J., and T. Hansen, "Media Type Specifications and Registration Procedures", [BCP 13](#), RFC

6838, January 2013.

8.2. Informative References

- [HUMANE] Atwood, J., "Is HTML a Humane Markup Language?", May 2008, <<http://blog.codinghorror.com/is-html-a-humane-markup-language/>>.
- [INETMEME] Solon, O., "Richard Dawkins on the internet's hijacking of the word 'meme'", June 2013, <<http://www.wired.co.uk/news/archive/2013-06/20/richard-dawkins-memes>>, <<http://www.webcitation.org/6HzDGE9Go>>.
- [MDMTUSES] Leonard, S., "text/markdown Use Cases", [draft-ietf-appsawg-text-markdown-use-cases-01](#) (work in progress), February 2015.
- [PANDOC] MacFarlane, J., "Pandoc", 2014, <<http://johnmacfarlane.net/pandoc/>>.
- [RFC4263] Lilly, B., "Media Subtype Registration for Media Type text/troff", [RFC 4263](#), January 2006.

Appendix A. Change Log

This draft is a continuation from [draft-ietf-appsawg-text-markdown-05.txt](#). These technical changes were made:

1. Removed TODO items for the time being.
2. Added [RFC 5234](#) reference.
3. Made minor changes.

Author's Address

Sean Leonard
Penango, Inc.
5900 Wilshire Boulevard
21st Floor
Los Angeles, CA 90036
USA

EMail: dev+ietf@seantek.com
URI: <http://www.penango.com/>